


SNAPPER McDonough, GA., 30253 U.S.A.

CONTENTS

PAGE	GROUP
3	HOOD & BUMPER
	SEAT & SUPPORT
5	STEERING WHEEL, CONSOLE & FUEL TANK
6, 7	FRONT AXLE PARTS
	CLUTCH, BRAKE & STEERING COMPONENTS
10, 11	BLADE ENGAGEMENT & TRANSMISSION CONTROLS
	IMPLEMENT LIFT PARTS
13	REAR FENDER & COMPONENTS
14	TRANSMISSION GROUP
15	ENGINE COMPONENTS
16, 17	33" CUTTING DECK, BELTS & BRAKES
18, 19	38" CUTTING DECK, BELTS & BRAKES
20	SPINDLE - 33" CUTTING DECK
21	SPINDLE - 38" CUTTING DECK
22	ELECTRICAL - BRIGGS & STRATTON with LIGHTS
23	ELECTRICAL - BRIGGS & STRATTON without LIGHTS
24	WHEELS - FRONT
	WHEELS - REAR
26	ELECTRICAL COMPONENTS


IT IS THE POLICY OF SNAPPER TO IMPROVE ITS PRODUCTS WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS MANUFACTURED PREVIOUSLY.

HOOD, BUMPER & COMPONENTS



MANUAL #06430

SEAT, SUPPORT COMPONENTS




2-4826


7-1564

SEAT, Operator's (ELT120G33AB)

SEAT, Operator's (ELT125G33AB)



FRONT AXLE PARTS




FRONT AXLE PARTS

ITEM 1	PART NO. 3-3374	DESCRIPTION BRACKET, Axle (Rear)
2	1-2063	WASHER, Cone (4)
3	7-6979	NUT, 3/8-16 Nyloc (2)
4	1-9034	ARM, Steering
5	9-0842	ROLL-PIN, 1/4 x 1 1/4"
6	1-0935	WASHER, Shim (3)
7	9-0184	NUT, 5/16-18 Center Lock (2)
8	9-0477	NUT, 1/4-20 Hex Flange Top-Lock (2)
9	1-3864	FITTING, Lube (2)
10	1-9467	BEARING, Spindle (2)
11	2-2758	BOLT, 1/4-20 x 1 41/64" Shoulder (4)
12	3-3383	BRACKET, Deck Hanger (2)
13	9-1046	SCREW, 5/16-18 x 2 1/2" Hex Head Cap (2)
14	3-1036	WASHER, Thrust (2)
15	9-0130	NUT, 3/8-16 Hex (2)
16	9-0118	WASHER, 3/8 Split Lock (2)
17	2-4180	SPACER, Tie-Rod (2)
18	9-0655	SCREW, 3/8-16 x 1 1/2" Hex Head Cap, Grade 5 (2)
19	4-1008	SPINDLE ASSEMBLY, Left Hand, Long (For 13" Tires)
_	4-1351	SPINDLE ASSEMBLY, Left Hand, Short (For 15" Tires)
20	5-2490	BRACKET ASSEMBLY, Axle (Front)
21	2-2324	TIE-ROD
22	9-0590	BOLT, 3/8-16 x 3" Hex Head (2)
23	4-1007	SPINDLE ASSEMBLY, Right Hand, Long (For 13" Tires)
	4-1350	SPINDLE ASSEMBLY, Right Hand, Short (For 15" Tires)
24	4-0986	AXLE, Front
25	1-0746	RING, Retaining
26	2-6595	SPACER (2)

CLUTCH, BRAKE & STEERING COMPONENTS 65 31 32-29 32 52- ? 69 57~ 57 - 28 72 27 47 60 33 39 38 37. 68 36. 26 37 21 23 74 17 29 37 15. 12 A,B 18 63-See Page 12 For Related 45-Parts 62-LTG SERIES A **MANUAL #06430** 8

CLUTCH, BRAKE & STEERING COMPONENTS

ITEM	PART NO.	DESCRIPTION	ITEM	PART NO.	DESCRIPTION
1	3-3627	BRACE, Sector Gear	40	9-0585	NUT, 5/16-18 Hex Flange
	3-3555	BELLCRANK, Shift Lever			Lock (2)
2 3 4	2-4286	LINK, Shift Lever	41	5-2809	ASSEMBLY, Sector Gear
4	2-4287	LINK, Shift Lever (Twisted)	42	2-4383	SPRING
5	2-2743	PEDAL, Park Brake	43	1-1791	RETAINER, 5/16" Bolt
6	3-3558	BRACKET, Brake Switch	44	9-0118	WASHER, 3/8 Split Lock (3)
7	5-2431	ASSEMBLY, Foot Shaft Pivot	45	1-5067	PIN, 3/32 x 1-1/2" Hair (2)
1	3-2431	(Includes Item 8)	46	1-2661	PAD, Pedal
0	4 4074	FITTING, 3/16 Lube	47	2-3649	WASHER, 5/16 Nylon (2)
8	1-4871	·	48	2-3188	KNOB, Push/Pull
9	5-2793	ASSEMBLY, Clutch/Brake Arm	49	1-5992	WASHER, 5/8 Flat
10	2-4057	LATCH, Park Brake	50		SCREW, 5/16-18 x 7/8" Truss
11	2-2886	SWITCH	30	9-1000	
12A	2-2964	ROD, Lift Link (33" Models)	F.4	2.4450	Head (Torx) (2)
12B	2-6590	ROD, Lift Link (38" Models)	51	2-4159	PIN, 3/64 x 1-7/32" Cotter
13	3-3556	GUIDE, Pulley		0.0004	(Self Locking)
14	3-3557	ARM, Idler (Traction Drive)	52	9-0361	SCREW, 5/16-18 x 5/8" Self-
15	2-3954	PULLEY			Tapping (3)
16	3-3595	EXTENSION, Idler Arm	53	2-4874	PIN, 1/16 x 1-27/64" Cotter
17	3-3521	BRACKET, Rear Lift/PTO Lever			(Self-Locking)
18	4-1306	WELDMENT, Rear Lift	54	9-0163	SCREW, 3/8-24 x 1-1/4" Hex
		(33" Models)			Head Cap
	4-1369	WELDMENT, Rear Lift	55	9 -0 913	SCREW, #10-24 x 1/2" Self-
		(38" Models)			Tapping (Torx)
19	3-3520	BRACKET, Deck Hang Pivot	56	3-1036	WASHER, 3/4 Thrust
20	2-4115	ASSEMBLY, Clutch/Brake	57	9-0655	SCREW, 3/8-16 x 1-1/2" Hex
		Cable			Head Cap
21	4-1347	WELDMENT, Brake Pivot	58	9-0613	NUT, 3/8-16 Hex Flange Lock
22	2-4586	SWIVEL, Brake Link	59	9-0595	BOLT, 5/16-18 x 3/4" Hex
23	2-4430	ROD, Brake			Flange Lock
24	2-2381	BOLT, 1/2-13 x 2" Shoulder (2)	60	2-3189	RING, Tolerance
25	2-4604	BOLT, 1/2-13 x 3-7/8"	61	9-0629	SCREW, 3/8-16 x 2-1/4" Hex
25	2-4004	Shoulder (2)	Ĭ,	0 0025	Head Cap
26	9-0509	WASHER, 1/2 Internal Lk. (2)	62	2-3645	PIN, 3/16 x 1-1/2" Clevis
	9-0509 9-0619	NUT, 1/2-13 Hex Flange Lock (2)	•	2-2742	BEARING, Flange
27		BOLT, 1/4-20 x 5/8" Carriage (6)		9-0130	NUT, 3/8-16 Hex Nut
28	9-0803		65		TIE, Cable
29	9-0583	NUT, 1/4-20 Flange Lock (6)	66	1-2080	GUIDE, Drive Belt
30	9-0143	SCREW, 3/8-16 x 1-1/4" Hex		2-6459	SPRING, Idler
		Head Cap (2)	67	2-4383	•
31	2-4180	SPACER	68	1-4451	TIE, Wire
32	9-0546	NUT, 3/8-16 Center Lock (2)		5-2728	ASSEMBLY, Drag Link
33	1-4341	RING, 1/2" Ext. Retaining(2)			(Includes Items 69Thru 71)
34	9-0250	WASHER, 1/2" Flat	69	2-2846	LINK, Drag
35	1-1016	BEARING, Nylon (2)	70	2-3200	ROD END (2)
36	2-4381	SPRING, Brake	71	9-0482	NUT, 3/8-24 Hex Jam (2)
37	9-0122	WASHER, 3/8 Flat	72	9-0975	NUT, 1/2-13 Hex Center Lock
38	7-6979	NUT, 3/8-16 Hex Top Nyloc	73	9-0037	PIN, 3/32 x 3/4" Cotter
39	9-1001	SCREW, 5/16-18 x 5/8" Truss	74	4-6778	WASHER, Pivot- Stiffener
•		Head (Torx) (5)	-		
		, , , ,			




BLADE ENGAGEMENT & TRANSMISSION CONTROLS

ITEM	PART NO.	DESCRIPTION
1	3-3301	FRAME, Tractor
2	2-4824	GUIDE, Belt
3	2-4286	LINK, Shift Lever
4	1-3321	BUSHING
5	4-1307	WELDMENT, PTO Lever
6	4-1310	WELDMENT, PTO Bellcrank
7 8	3-3525 2-4344	SUPPORT, PTO Lever PULLEY
9 A	2-43 44 3-3576	BRACKET, Spool (38" Model)
9B	3-3934	BRACKET, Spool (33" Model)
10	3-3315	BRACKET, Torque
11	2-3182	SPOOL
12	5-2920	ASSEMBLY, Shift Lever (Lower)
13	3-3832	BRACE, Frame (2)
14	3-3541	BRACKET, Shift Lever (Upper)
15	5-2562	ASSEMBLY, Steering Adjuster
16	2-2368	GEAR, Steering Pinion
17	2-3931	ROD, PTO Link LEVER, Shift
18 19	2-3957 3-3554	CLIP (2)
20	1-4296	WASHER, 1/2 Shim (2)
21	9-0365	PIN, 1/8 x 3/4" Cotter
22	2-6621	CABLE, Blade (33" Models)
_	2-4377	CABLE, Blade (38" Models)
23	9-0619	NUT, 1/2-13 Hex Flange Lock
24	9-0509	WASHER, 1/2 Internal Tooth Lock
25	2-4518	BOLT, 1/2-13 x 2 11/32" Shoulder
26	9-0037	PIN, 3/32 x 3/4" Cotter
27	9-0122	WASHER, 3/8 Flat
28	1-5067	PIN, 3/32 x 1 1/2" Hair Cotter SCREW, 5/16-18 x 5/8" Truss Head (Torx)(9)
29 30	9-1001 9-0585	NUT, 5/16-18 Hex Flange Lock
31	9-0655	SCREW, 3/8-16 x 1 1/2" Hex Head Cap
32	9-0546	NUT, 3/8-16 Hex Center Lock
33	9-0583	NUT, 1/4-20 Hex Flange Lock
34	9-0551	BOLT, 1/4-20 x 5/8" Short Neck Carriage
35	2-4180	SPACER
36	9-0361	SCREW, 5/16-18 x 5/8" Self-Tapping
37	9-1151	SCREW, 5/16-18 x 1 1/4" Self-Tapping (2)
38	2-4616	BUSHING, Flange (2)
39	7-6978	NUT, 1/4-20 Hex Flange Lock WASHER, 1/4 Flat
40 41	9-0055 9-0364	PIN, 5/32 x 1" Cotter
42	9-1000	SCREW, 5/16-18 x 7/8" Truss Head (Torx)
43	9-0188	WASHER, 5/16 Flat
44	9-0595	BOLT, 5/16-18 x 3/4" Hex Flange Lock
45	3-3556	GUIDE, Belt
46	2-3355	SWITCH, Blade Engagement
47	9-0913	SCREW, #10-24 x 1/2" Self-Tapping
48	2-4457	DECAL, Instruction/Safety
49	2-4455	PAD, Foot Sandpaper
50 51	3-3911	BRACKET, Belt Guide
51 52	3-3912 2-4182	GUIDE, Engine Belt ROD, Spool Pivot
53	9-0122	WASHER, 3/8 Flat
54	2-4069	SPRING, Shift Lever
55	2-3656	KNOB, Deck Lift Lever
56	2-3657	KNOB, Deck Engagement
57	9-1023	WASHER, 1/4 Internal Tooth Lock (2)

DECALS NOT SHOWN
(Shipped Loose In Bag)
P.N. 2-2840, P.N. 2-2841,
P.N. 2-3008, P.N. 2-3009,
P.N. 2-6250, P.N. 2-6251,
P.N. 2-6252, P.N. 2-6253,
P.N. 2-6254, P.N. 2-6255


IMPLEMENT LIFT PARTS



	•	
ITEM	PART NO.	DESCRIPTION
1	3-3449	QUADRANT, Lift Lever
2	2-2565	ROD, Lift Lever
3A	4-1015	STRUCTURE, Lift Lever (38" Model)
3B	4-1494	STRUCTURE, Lift Lever (33" Model)
4	2-4742	LATCH, Pivot
5	2-2568	DETENT, Latch
6	2-2567	PIVOT, Lift Lever
7	4-1301	BELL-CRANK, Lift Structure (38" Model)
	4-1507	BELL-CRANK, Lift Structure (33" Model)
8	2-2964	ROD, Lift Link
9	2-2566	SPRING
10	2-2895	PIN, 1/4" x 1-1/8" Dowel
11	1-3844	PIN, 5/32" x 2-5/8" Hair (2)
12	9-0999	SCREW, 1/4-20 X 5/8" Truss Head Torx
13	1-4361	CAP, Lever Rod
14	1-9363	KNOB, Lift Lever
15	9-1000	SCREW, 5/16-18 x 7/8" Truss Head Torx (2)
16	9-1001	SCREW, 5/16-18 x 5/8" Truss Head Torx
17	9-0585	NUT, 5/16-18 Hex Flange Lock (3)
• •		. ,


LTG SERIES A

REAR FENDER & COMPONENTS




ITEM	PART NO.	DESCRIPTION
1	3-3314	PAN, Seat (Fender)
2	2-3193	RIV-NUT, 5/16-18 (2)
3	2-4905	DECAL-SNAPPER, 7.28" Molded Logo, White Letters &
		Stripe (33" Model)
_	2-2970	DECAL-SNAPPER, 7.28" Molded Logo, Silver Letters,
		Teal Stripe (38" Model)
4	3-3312	SUPPORT, Fender
5	9-0361	SCREW, 5/16-18 x 5/8" Hex Washer Head, Self-Tapping (4)
6	9-1105	SCREW, #10-16 x 1/2" Hex Washer Head, Self-Tapping (4)
7	3-3907	DETENT, Gear Shift
8	2-4731	DECAL, Shift Cover, 5 Speed
9	2-4894	COVER, Shift
10	9-0999	SCREW, 1/4-20 x 5/8" Truss Head, Torx (4)
11	9-1001	SCREW, 5/16-18 x 5/8" Truss Head, Torx (4)
12	2-6415	DECAL - CAUTION, Battery Location

TRANSMISSION GROUP




ITEM	PART NO.	DESCRIPTION
1	1-7802	TRANSAXLE ASSEMBLY
2	2-2760	PULLEY, Drive
3	3-1036	WASHER, Flat (2)
4	2-2811	SPACER
5	9-0702	BOLT, 5/16-18 x 2 1/4" Hex Flange Lock (4)
6	9-0585	NUT, 5/16-18 Hex Flange Lock (4)
7	1-0211	KEY, Woodruff
8	1-2763	RING, Retaining
9	2-9584	BELT, P915, Traction Drive
10	9-1165	BOLT, 1/4-28 x 5/8" Hex Head, Grade 8
11	9-0746	WASHER, Beliville (2)
12	3-3552	ARM, Shift Input

ENGINE COMPONENTS




LTG SERIES A



33" CUTTING DECK, BELTS, BRAKES

ITEM	PART NO.	DESCRIPTION	ITEM	PART NO.	DESCRIPTION
1	2-6546	BELT, 33" Drive	48	9-0492	WING-NUT. 5/16-18
2	2-6558	PULLEY, Spindle, 7" O.D.	49	9-0130	NUT, 3/8-16 Hex (2)
3	1-0027	NUT, 3/4-16 Hex Jam	50	9 -0 118	WASHER, 3/8 Split Lock (2)
4	1-4304	PIN, 1/4 x 1 1/4" Clevis	51	9-0584	BOLT, 1/4-20 x 1/2" Hex
5	5-2886	BAND, Brake			Flange Lock
6	3-2169	DRUM, Brake	52	9-0850	BOLT, 3/8-16 x 3/4" Carriage
7	2-4192	ROD, Link, Clutch/Brake	53	3-2432	LINK, Adjustment
8	1-0740	RING, Retaining (2)	54	1-5012	ECCENTRIC, Leveling
9	3-8018	BRACE, Spindle	55	9-0563	SCREW, 3/8-16 x 1" Hex
10	9-0368	SCREW, 5/16-18 x 3/4"	}		Head Cap
		Self-Tapping	56	9-0721	BOLT, 5/16-18 x 1/2" Hex
11	9-0456	NUT, 3/8-16 Hex Cntr. Lock			Flange Lock (8)
12	1-6153	SPRING, Clutch & Brake	57	3-8453	RAIL, Side (2)
13	4-1487	GUIDE, Belt	58	3-3952	ANCHOR, Brake
14	9- 0 037	COTTER-PIN, 3/32 x 3/4" (2)	59	5-2917	ASSEMBLY, Spindle (Includes
15	9-0055	WASHER, Flat			items 60 thru 70)
16	2-7717	PULLEY, Idler 3 1/4" O.D.	60	2-4687	SPINDLE
17	9-0122	WASHER, 3/8 SAE (3)	61	1-0817	FITTING, Lube
18	9-0503	BOLT, 3/8-16 x 1 3/4" Hex Hd.	62	5-2294	HOUSING, Spindle (Includes
19	1-7516	SWIVEL, Brake			item 61)
20	1-2431	PIN, 1/4 x 1 1/8" Hair (2)	63	1-2491	RING, Retaining (2)
21	2-6677	BOLT, 1/4-20 Eye	64	1 -3 313	BEARING, Spindle (2)
22	1-4303	NUT, 1/4-20 Tee	65	1-4407	WASHER, Spindle (2)
23	9-0063	NUT, 1/4-20 Hex	66	3-7751	HOLDER, Blade
24	2-6639	ROD, Front Lift	67	9 -0 559	NUT, 1/2-20 Hex Jam (4)
25	3-3938	BRACKET, Front Lift Hanger			(2 in assembly)
26	1-3460	PIN, 3/8 x 1 1/2" Clevis	68	9 -050 9	WASHER, 1/2 Int. Tooth Lk. (2)
27	2-7471	PIN, Front Deck Hanger	69	9-0392	SCREW, 1/2-20 Hex Head
28	1-3844	PIN, .148 x 2.62" Hair (2)			Cap (4) (2 in assembly)
29	4-1495	LIFT, Front Arm	70	9-0356	NUT, 5/8-18 Hex Lock
30	3-2027	WASHER, Flat (2)	71	5-7482	ASSEMBLY, Blade & Air Lift
31	1-5272	SPACER (3)			(Includes items 72 thru 76)
32	1-9190	WHEEL, Gage (3)	72	1-9523	BLADE, 33" Mower Deck
33	9-0289	NUT, 3/8-24 Hex Lock (3)	73	3-7723	AIR-LIFT (2)
34	9-00 0 4	BOLT, 5/16-18 x 1/2" Short	74	9-0228	SCREW, 5/16-24 x 11/16"
	1.1.4.1	Neck Carriage (6)			Machine (6)
35	9-0585	NUT, 5/16-18 Hex Flange	75	9-0391	WASHER, 5/16 Internal
		Lock (13)			Tooth Lock (6)
36	9-0859	SCREW, 3/8-24 x 3 3/4" Hex	76	9-0223	NUT, 5/16-24 Hex (6)
07	4.5007	Head Cap (3)	77	3-8450	BRACKET, Gage Wheel Rear (2)
37	1-5067	PIN, Hair	78 70	3-3115	BRACKET, Rear Lift (2)
38	3-1914	PIN, Hinge	79	2-4387	CABLE, Deck Lift, Rear (2)
39	9-0612	BOLT, 3/8-16 x 3/4" Hex	80	2-2991	DECAL, 33" Hi-Vac
40	0.0500	Flange Lock (14)	81	1-6973	DECAL - CAUTION (Rotating
40	3-9586	HINGE, Deflector			Blades)
41	5-2555	ASSEMBLY, Deflector	82	2-4183	ARM, Pivot
		(Includes item 42)	83	3-3578	BRACKET, Pivot Arm
42	1-3010	DECAL, Danger (Cut	84	3-3926	GUIDE, Belt
		Finger)	85	9-0361	SCREW, 5/16-18 x 5/8" Self-
43	5-3180	DECK, Cutting, 33" (Includes			Tapping (6)
		items 46 & 81)	86	1-5761	SCREW, 5/16-18 x 3/4" Shoulder
44	9- 00 01	BOLT, 5/16-18 x 3/4" Short	87	9-0583	NUT, 1/4-20 Hex Flange Lock
.=		Neck Carriage	88	1-2670	RING, Tolerance
45		NUT, 3/8-16 Hex Flng. Lk. (14)	89		BRACKET, Link, Clutch/Brake
46		DECAL - CAUTION (Deflector)	90		BRACKET, Gage Wheel (Front)
47	9-0188	WASHER, 5/16 Flat	91	4-1311	ARM, Idler

38" CUTTING DECK, BELTS, BRAKES




38" CUTTING DECK, BELTS, BRAKES


ITEM	PART NO	D. DESCRIPTION
1	2-4614	BELT, Drive, 38" Cutting Deck
2	9-1006	NUT, 5/8-18 Hex Nyloc (2)
3	2-4634	PULLEY, Spindle (2)
4	7-6979	NUT, 3/8-16 Hex Nyloc (2)
5	9-0122	WASHER, 3/8 Flat (10)
6	2-4725	PULLEY, Idler
7	1-3847	RETAINER, 3/8 Bolt
8	4-1392	ARM, Idler Pulley
9	9-0738	BOLT, 3/8-16 x 2 3/4" Short Neck
_		Carriage, Grade 5
10	1-2306	BUSHING, Flange (2)
11	2-6618	STUD, Idler
12	9-0188	WASHER, Flat (2)
13	1-5447	ECCENTRIC, Leveling
14	9-0037	COTTER-PIN, 3/32 x 3/4" (3)
15	5-2886	ASSEMBLY, Brake Band
16	3-3816	DRUM, Brake
17	1-4304	PIN, 1/4 x 1 5/8" Clevis
18	1-4302	BOLT, 1/4-20 Eye
19	3-3825	ANCHOR, Blade Brake
20	2-4908	NUT, 1/4-20 "T" Lock
21	9-0063	NUT, 1/4-20 Hex
22	9-0585	NUT, 5/16-18 Hex Flange Lock (32)
23	2-4801	GUARD, Belt (2)
24	1-3844	PIN, Hair (2)
25	3-3407	PIN, Deck Hanger
26	3-3704	BRACKET, Front Lift Arm (Left Side)
27	4-1371	LIFT, Front Arm
28	2-6525	BRACKET, Front Lift Arm (Right Side)
29	9-1121	NUT, 1/2-13 Hex Nyloc
30	2-6310	PULLEY, Idler
31	3-3728	BRACKET, Idler
32	9-0250	WASHER, 1/2 Flat
33	9-0815	SCREW, 3/8-16 x 3/4" Self-Tapping (5)
34	9-0652	BOLT, 1/2-13 x 3" Hex Head Cap
35	3-3751	ARM, Front Lift
36	9-0731	BOLT, 5/16-18 x 1/2" Short Neck
		Carriage (32)
37	9-0974	BOLT, 3/8-24 x 3/4" Hex Head

ITEM	PART NO	. DESCRIPTION
38	3-3929	GUIDE, Belt
39	9-1097	BOLT, 5/16-18 x 3/4" Short Neck Carriage (2)
40	2-6158	SPRING, Chute Deflector Hinge
41	2-6173	SPRING, Blade Brake
42	2-6161	PIN, 5/16 x 3 3/16" Clevis
43	3-3706	HINGE, Chute Deflector
44	3-3639	DECK, 38" Cutting
45	9-0289	NUT, 3/8-24 Hex Lock (4)
46	3-3756	BRACKET, Gage Wheel, Front (2)
47	2-6122	WHEEL, Gage (4)
48	1-1720	BOLT, 3/8-24 Shoulder (4)
49	5-3165	ASSEMBLY, Chute Deflector (Includes 1 ea.
		item 12 & 14, & items 40, 42, 43, & 50)
50	1-3 010	DECAL, DANGER
51	9-0492	NUT, 5/16-18 Wing
52	1-1791	RETAINER, 5/16 Bolt
53	9-0001	BOLT, 5/16-18 x 3/4" Short Neck Carriage,
		Grade 2
54	3-3890	BRACKET, Wheel, Right Side
55	2-4466	BLADE, 38" Cutting Deck (2)
56	2-6450	CABLE, Rear Lift (2)
57	3-3698	BRACKET, Rear Deck Lift (Right Side)
58	3-3891	BRACKET, Wheel (Left Side)
59	3-3893	BRACKET, Rear Deck Lift (Left Side)
60	1-6245	RETAINER, 1/2" Bolt
61	2-6648	SWIVEL, Lift
62	2-6635	BOLT, "J"
63	2-6634	BRACKET, Angle (Front)
64	1-6231	PIN, Hair (2)
65	9-0500	WASHER, 7/16 Flat
66 67	9-0390	WASHER, 3/8 Internal Tooth Lock
67	9-0130	NUT, 3/8-16 Hex
68	2-6649	SPACER, Lift
69 70	2-6154	DECAL - Inch
70 71	1-6973	DECAL - CAUTION (Rotating Blades)
7.1	1-4852	DECAL - CAUTION

SPINDLE - 33" CUTTING DECK




ITEM	PART NO.	DESCRIPTION
1	5-2917	ASSEMBLY, Spindle Housing, 33" Cutting Deck
		(Includes items 2 thru 11)
2	1-2491	RING, Retaining (2)
3	1-3313	BEARING, Spindle (2)
4	5-2294	HOUSING, Spindle (Includes item 5)
5	1-0817	FITTING, Lube
6	9-0392	SCREW, 1/2-20 x 1" Hex Head Cap, Gr. 5 (2)
7	9-0559	NUT, 1/2-20 Hex Jam (2)
8	9-0356	NUT, 5/8-18 Hex Lock
9	3-7751	HOLDER, Blade
10	1-4407	WASHER, Spindle
11	2-4687	SPINDLE
12	1-2670	RING. Tolerance




ITEM	PART NO.	DESCRIPTION
1	5-2847	ASSEMBLY, Spindle Housing, 38", Cutting Deck (Includes
		items 2 thru 8)
2	1-3020	BEARING, Spindle (2)
3	2-4465	SPACER, Spindle Housing
4	2-4461	HOUSING, Spindle
5	2-4462	SPINDLE
6	2-4463	SPACER, Blade
7	2-4467	WASHER, Belleville, 19/32"I.D., 1 3/4"O. D. (2)
8	2-4468	NUT, 9/16-18 Hex Jam


ELECTRICAL - Brigg's & Stratton with Lights




SCHEMATIC




ELECTRICAL - Brigg's & Stratton without Lights




SCHEMATIC



WHEELS - FRONT




ITEM	PART NO.	DESCRIPTION
1	5-2681	ASSEMBLY, Front Tire & Rim (Includes items 2 thru 6). (33" Model)
_	5-2957	ASSEMBLY, Front Tire & Rim (Includes items 2 thru 6) (38" Model)
2	2-2772	RIM, 5.50 x 4.00
3	2-2773	TIRE, 13 x 5.00 (33" Model)
_	2-6109	TIRE, 15 x 6.00 (38" Model)
4	1-4483	BEARING, Wheel (2)
5	1-3876	FITTING, Lube
6	1-2234	VALVE, Air (Snap-in)
7A	3-2027	WASHER, 49/64 I.D. x 1-1/2" O.D.
7B	2-6608	RETAINER, Hub-Cap (33" Models)
8	9-0364	COTTER-PIN
9A	1-1022	HUB-CAP (33" Model)
9B	1-9417	WHEEL-COVER (38" Model)
10	3-3701	WASHER, 25/32 I.D. x 1-1/2" O.D.



ITEM	PART NO.	DESCRIPTION
1	5-2845	ASSEMBLY, Rear Tire & Rim (Includes items 2 thru 4) (33" Model)
_	5-2846	ASSEMBLY, Rear Tire & Rim (Includes items 2 thru 4) (38" Model)
2	2-6112	TIRE, 18 x 7.50 (33" Model)
-	2-6113	TIRE, 18 x 8.50 (38" Model)
3	2-4453	RIM, 8.00 x 5.375 (33" Model)
-	2-4454	RIM, 8.00 x 7.00 (38" Model)
4	1-2234	VALVE, Air (Snap-in)
5A	1-1022	HUB-CAP (33" Model)
5B	1-9418	WHEEL-COVER (38" Model)
6	1-2705	RING, Retaining
7	1-1071	WASHER, 49/64 I.D. x 1-5/8" O.D. Thrust (33" Models)
8	3-2027	WASHER, Flat, 49/64" I.D. x 1 1/2" O.D.
9	1-7173	KEY, Square, 3/16 x 2 1/2"

ELECTRICAL COMPONENTS



ITEM	PART NO.	DESCRIPTION
1	6-0618	KIT, Battery (Includes 1-6134 Decal and Battery Without Acid)
2	1-7853	TRAY, Battery
3	1-8604	SOLENOID
4	2-4614	CABLE, Ground (Black)
5	1-4476	CABLE, Positive (Red)
6	9-0539	SCREW, 1/4-20 x 1/2" Self-Tapping (2)
7	1-2485	RETAINER, 1/4 Bolt
8	9-0997	NUT, 1/4-20 Locking Wing
9	9-0074	BOLT, 1/4-20 x 3/4" Carriage (2)
10	9-0311	NUT, 1/4-20 Wing (2)
11	1-2444	COVER, Positive Terminal

	N
	O
	T
	Ė
	S
	3
·	

Parts Manual for

SNAPPER®

LT125G33AB ELT120G33AB ELT125G33AB & ELT125G38AB SERIES "A" LAWN TRACTORS

SNAPPER McDonough, GA., 30253 U.S.A.